Mine Spec LED Cube

Model: ENV6MYCUBE

EnviroLED

Lighting Towers

Highly efficient Minespec 6 X 320W Multi LED delivering super bright light visibility and significant fuel savings

MOND

EnviroLED

Lighting Towers

Mine Spec LED Cube Model: ENV6MYCUBE

KEY FEATURES

- Six x 320W Multi LED
- Massive 249300 Lumen
- · 7800 M2 @ 20 Lux
- Easy to use Deep Sea L401 MKII controller
- Hydraulic Tilting Head
- Super Fuel Efficient Japanese Yanmar engine with 233 Hour Run Time

MADE IN ITALY

(J) J) J) J)

Ň

Italian made for tough Australian conditions, delivering super bright light for continuous night work in mining, construction and civil works.







Lighting Towers Technical Specifications

Performance data	
Rated frequency / voltage	50 Hz / 230 V
Rated Power	3.5 kW
Operating temperature	-30/+50°C
Sound level	61 dB @ 7 m
Control unit	Deep Sea L401 MKII
Engine	Yanmar 3TNV68
Speed	1500 rpm
Coolant	Liquid
Cylinders	3
Emissions	Stage V
Alternator	Linz Alumen
Rated outlet	3.5 kVA
Regulation	Brushless
Voltage accuracy	+/- 5%
Auxiliary power	1.2 kVA
Fuel Consumption	0,60 l/h
Tank	1401
Fuel	Diesel
Running time	233 h
Galvanized mast height	8.5 m
Lifting system	Hydraulic
Rotation	350 °
Wind resistance	110 km/h
No Trailer	Stationary
Basement	Bunded base 120%
Stabilizers	4
Canopy	Powder coating paint
Optional	
Optional included as standard:	Grid/engine selector Daylight sensor with Autostart Battery isolator Electric tilting head
Optional not included:	Weekly timer with auto start
Shipment	
Dimension	121x112x240 cm
Weight	900 kg
Truck	22
Container 40"HC	18



EnviroLED

Lighting Area (see MultiLed head on front page)



